

_

81.5AU/16.5CU/2NI VTG

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/09/2017 Version: 5.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: 81.5AU/16.5CU/2NI VTG
Product code	: A00000296
1.2. Recommended use and restriction	s on use
No additional information available	
1.3. Supplier	
Lucas-Milhaupt, Inc. 5656 South Pennsylvania Ave. Cudahy, WI 53110 - USA T (414)-769-6000 LM SDSinfo@lucasmilhaupt.com - www.Lucas	<u>milhaupt.com</u>
1.4. Emergency telephone number	
Emergency number	: CHEMTREC within the USA and Canada: 1-800-424-9300 CHEMTREC outside the USA and Canada +1 701-741-5970
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
GHS-US classification	
Skin sensitisation, Category H317	May cause an allergic skin reaction.
1 Carcinogenicity, Category H350	May cause cancer.
1B Specific target organ H372	Causes damage to organs through prolonged or repeated exposure.
toxicity — Repeated	Causes damage to organs through prolonged of repeated exposure.
exposure, Category 1	
exposure, Category 1 Full text of H statements : see section 16	cautionary statements
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre	cautionary statements
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling	cautionary statements
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre	cautionary statements
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling	cautionary statements
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling	cautionary statements
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US)	
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US)	E Danger
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US)	
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger : H317 - May cause an allergic skin reaction.
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US)	 : Danger : H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. : P201 - Obtain special instructions before use.
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Danger : H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. : P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood.
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Note that the second secon
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Note that the second secon
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Note that the end of t
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : In the second secon
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Panger H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Example 1 Example 2 Event and the example 2 Event and the example 2 Event and the example 2 Event and the event event and the even
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Example 1 Example 2 Event 2
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Panger H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P277 - Do not eta, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label) P33+P313 - If skin irritation or rash occurs: Get medical advice/attention.
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Panger H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P334-P313 - If skin irritation or rash occurs: Get medical advice/attention. P334-P313 - If skin irritation or rash occurs: Get medical advice/attention.
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Panger H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P277 - Do not eta, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label) P33+P313 - If skin irritation or rash occurs: Get medical advice/attention.
exposure, Category 1 Full text of H statements : see section 16 2.2. GHS Label elements, including pre GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H317 - May cause an allergic skin reaction. H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P206 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P334 - Store locked up.

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Mo	nday, March 26, 2012 / Rules and Regulations		
2.3. Other hazards which do not res	sult in classification		
No additional information available			
2.4. Unknown acute toxicity (GHS L	IS)		
Not applicable			
SECTION 3: Composition/inform	ation on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
Gold		(CAS-No.) 7440-57-5	81 - 82
Copper		(CAS-No.) 7440-50-8	15.5 - 17.5
Nickel		(CAS-No.) 7440-02-0	1.5 - 2.5
Full text of hazard classes and H-statement	s : see section 16		
SECTION 4: First-aid measures			
4.1. Description of first aid measure	2S		
First-aid measures general	: IF exposed or concerned: Get medical a	advice/attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep co	pmfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off Get medical advice/attention.	contaminated clothing. If skin irritation	n or rash occurs:
First-aid measures after eye contact	: Rinse eyes with water as a precaution.		
First-aid measures after ingestion	: Call a poison center or a doctor if you fe	el unwell.	
4.2. Most important symptoms and	effects (acute and delayed)		
Symptoms/effects after skin contact	: May cause an allergic skin reaction.		
4.3. Immediate medical attention ar	d special treatment, if necessary		
Treat symptomatically.			
SECTION 5: Fire-fighting measu	res		
5.1. Suitable (and unsuitable) extin	guishing media		
Suitable extinguishing media	: Dry powder. Water spray. Foam.		
Unsuitable extinguishing media	: Water.		
5.2. Specific hazards arising from t	he chemical		
Reactivity	: The product is non-reactive under norm	al conditions of use, storage and trans	sport.
5.3. Special protective equipment a	nd precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without su apparatus. Complete protective clothing		ained breathing
SECTION 6: Accidental release r	neasures		
6.1. Personal precautions, protectiv	e equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Do not breathe dust/fume/gas/mist/vapo suitable protective equipment may inter		quipped with
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without su refer to section 8: "Exposure controls/pe		er information
6.2. Environmental precautions			
Avoid release to the environment. Notify au	thorities if product enters sewers or public waters		
6.3. Methods and material for conta	inment and cleaning up		
For containment	: Collect spillage.		
Methods for cleaning up	: Mechanically recover the product. Notify	authorities if product enters sewers o	or public waters.
Other information	: Dispose of materials or solid residues a	an authorized site.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately.

7.2.	Conditions for safe storage, inclu	Iding any incompatibilities
Storage	conditions	: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Copper (7440-50-8)		
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³ (fume)
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
IDLH	US IDLH (mg/m ³)	100 mg/m ³ (dust, fume and mist)
NIOSH	NIOSH REL (TWA) (mg/m ³)	1 mg/m ³ (dust and mist) 0.1 mg/m ³ (fume)
Gold (7440-57-5)		
Not applicable		
Nickel (7440-02-0)		
ACGIH	ACGIH TWA (mg/m ³)	1.5 mg/m ³ (inhalable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
IDLH	US IDLH (mg/m ³)	10 mg/m ³
NIOSH	NIOSH REL (TWA) (mg/m ³)	0.015 mg/m ³

8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemic	al properties
9.1. Information on basic physical ar	
Physical state	: Solid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. **Other information**

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
The proc	duct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable u	nder normal conditions.
10.3.	Possibility of hazardous reactions
No dang	erous reactions known under normal conditions of use.
10.4.	Conditions to avoid
None un	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
No addit	ional information available
10.6.	Hazardous decomposition products
Under no	ormal conditions of storage and use, hazardous decomposition products should not be produced.
SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects
A	A start of a

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Nickel (7440-02-0)		
LD50 oral rat	> 9000 mg/kg	
LC50 inhalation rat (mg/l)	> 10.2 mg/l (Exposure time: 1 h)	
Skin corrosion/irritation	: Not classified	
06/25/2018	EN (English) 4	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	

Nickel (7440-02-0)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Nickel (7440-02-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Very toxic to aquatic life.
Copper (7440-50-8)	
LC50 fish 1	0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Nickel (7440-02-0)	
LC50 fish 1	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])

EC50 Daphnia 2 1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations						
13.1.	Disposal methods					
Waste treatment methods		: Dispose of contents/container in accordance with licensed collector's sorting instructions.				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Copper (7440-50-8)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313					
CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm				
Gold (7440-57-5)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory					
Nickel (7440-02-0)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313					
CERCLA RQ 100 lb no reporting of releases of this hazardous substance is required if the diameter of pieces of the solid metal released is >100 μm					

15.2. International regulations

Copper (7440-50-8)		
Listed on the TCSI (Taiwan Chemical Substance Inventory)		
Gold (7440-57-5)		
Listed on the TCSI (Taiwan Chemical Substance Inventory)		
Nickel (7440-02-0)		
Listed on the TCSI (Taiwan Chemical Substance Inventory)		

15.3. US State regulations

MARNING: This product can expose you to Nickel, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Nickel(7440-02-0)	Х					

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Copper(7440-50-8)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) List
Gold(7440-57-5)	
Nickel(7440-02-0)	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

H317	May cause an allergic skin reaction.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

SDS US (GHS HazCom 2012)

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the Lucas-Milhaupt, Inc.